

### **SAFETY DATA SHEET**

# 739 Vådrumsmaling

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Trade name

739 Vådrumsmaling

Product no.

739

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

**Industrial purposes** 

Uses advised against

No special

# 1.3. Details of the supplier of the safety data sheet

# Company and address

### Beck & Jørgensen A/S

Rosenkaeret 25-29

DK-2860 Søborg

Denmark

Tel: +45 39 53 03 11

# Contact person

Mikael Jensen

E-mail

miljo@bj.dk

Revision

8/12/2022

**SDS Version** 

1.0

# 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

# Hazard pictogram(s)

Not applicable

Signal word

Not applicable

Hazard statement(s)

Not applicable

Safety statement(s)

General

-

Prevention

-

Response



# Storage

# Disposal

### Hazardous substances

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m]

### 2.3. Other hazards

### Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-on, 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate , reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210, Safety data sheet available on request.

EUH211, Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. This paint contains a biocidal product for the preservation of the dry film.

# Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### VOC

VOC content: 50 g/L

MAXIMUM VOC CONTENT (Phase II, category A/b (WB): 100 g/L)

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	CAS No.: 13463-67-7 EC No.: 236-675-5 REACH: 01-2119489379-17- XXXX Index No.: 022-006-00-2	15-25%	Carc. 2, H351	
3-iodo-2-propynyl butylcarbamate 3- iodoprop-2-yn-1-yl butylcarbamate	CAS No.: 55406-53-6 EC No.: 259-627-5 REACH: Index No.: 616-212-00-7	<1%	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
1,2-benzisothiazol-3(2H)- on	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.036 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1)	CAS No.: 55965-84-9 EC No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %)	

739 Vådrumsmaling Page 2 of 18



REACH:

Index No.: 613-167-00-5

Skin Sens. 1A, H317 (SCL: 0.0015 %)

Acute Tox. 2, H330

Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

\_

### SECTION 4: First aid measures

# 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

### Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

### **Burns**

Not applicable

### 4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

# 4.3. Indication of any immediate medical attention and special treatment needed

No special

### Information to medics

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.



### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

### Recommended storage material

Always store in containers of the same material as the original container.

### Storage temperature

No specific requirements

# Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m] Long term exposure limit (8 hours) (mg/m³): 6

K = Dusts that contain the substance on a respirable form are considered to be carcinogenic.

Statutory order 1054 on exposure limits for substances and mixtures (28/06/2022)

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m] is included in the national list of substances suspected of causing cancer

BEK nr 1795 af 18/12/2015 om foranstaltninger til forebyggelse af kræftrisikoen ved arbejde med stoffer og materialer

# **DNEL**

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m]

Duration	Route of exposure	DNEL
Long term – Local effects - Workers	Inhalation	10 μg/L
Long term – Systemic effects - General population	Oral	700 mg/kg bw/day

### **PNEC**

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate



Route of exposure	Duration of Exposure	PNEC
Soil	Single	0,005 mg/l
Water	Single	0,0005 mg/l

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Duration of Exposure	PNEC
Freshwater		0,184 mg/L
Intermittent release		0,193 mg/L
Sewage treatment plant		100 mg/L

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

# Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements

# Individual protection measures, such as personal protective equipment

Only CE-marked personal protection equipment should be used.

Use only CE marked protective equipment.

# **Respiratory Equipment**

Work situation	Туре	Class	Colour	Standards	
Non industrial spraying	Combination filter A2P3	Class 2/3	Brown/White	EN14387	

# Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-	R

# Hand protection

739 Vådrumsmaling Page 5 of 18



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Cotton/Latex	-	> 30	EN374-2, EN374-3, EN388	

### Eye protection

No specific requirements

### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

White

Odour / Odour threshold

Testing not relevant or not possible due to nature of the product.

рΗ

8 - 9

Density (g/cm³)

1.224

Kinematic viscosity

Testing not relevant or not possible due to nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

100

Vapour pressure

Testing not relevant or not possible due to nature of the product.

Relative vapour density

Testing not relevant or not possible due to nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to nature of the product.

Ignition (°C)

Testing not relevant or not possible due to nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to nature of the product.

Solubility in fat (g/L)



Testing not relevant or not possible due to nature of the product.

### 9.2. Other information

VOC (g/L)

50

### Other physical and chemical parameters

No data available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

No special

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Rat
Route of exposure Oral
Test LD50

Result 300-500 mg/kg ·

Other information

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result 6,89 mg/l (4 h) ·

Other information

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Rabbit
Route of exposure Dermal
Test LD50

Result > 2000 mg/kg ·

Other information

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

739 Vådrumsmaling Page 7 of 18



Species Rat
Route of exposure Oral
Test LC50

Result 670 mg/m³ (4 h, dust) ·

Other information

Product/substance 1,2

1,2-benzisothiazol-3(2H)-on

Test method

Species Rat

Route of exposure Oral

Test LD50

Result 1193 mg/Kg ·

Other information

Product/substance 1,2-benzisothiazol-3(2H)-on

Test method

Species Rat
Route of exposure Dermal
Test LD50
Result 4115 mg/Kg ·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Rat
Route of exposure Oral
Test LD50

Result 49,6 - 75 mg/Kg ·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Rat
Route of exposure Inhalation

Test LC50
Result 0,33 mg/l, 4 h, aerosol ·

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Rabbit
Route of exposure Dermal
Test LD50

Result 200 - 1000 mg/Kg ·

Other information

### Skin corrosion/irritation

Product/substance

1,2-benzisothiazol-3(2H)-on

Test method Species Duration OECD 404 Rabbit

739 Vådrumsmaling Page 8 of 18



Result Adverse effect observed (Irritating)

Other information

### Serious eye damage/irritation

Product/substance 1,2-benzisothiazol-3(2H)-on Test method no guideline followed

Species Duration

Result Adverse effect observed (Causes serious eye damage)

Other information

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Product/substance

1,2-benzisothiazol-3(2H)-on

Test method

Species Human

Result Adverse effect observed (sensitising)
Other information Can course allergic reaction at skin contact

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Human

Result Adverse effect observed (sensitising)
Other information Can course allergic reaction at skin contact

### Germ cell mutagenicity

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method Species

Conclusion No adverse effect observed

Other information

# Carcinogenicity

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method Species

Route of exposure Target organ

Duration Test Result

Conclusion No adverse effect observed

Other information

# Reproductive toxicity

Product/substance Test method Species reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

739 Vådrumsmaling Page 9 of 18



Duration

Test

Result

Conclusion No adverse effect observed

Other information

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### Long term effects

No special

# Endocrine disrupting properties

No special

# Other information

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m] has been classified by IARC as a group 2B carcinogen.

Talc has been classified by IARC as a group 2B / 3 (Talc not containing asbestos or asbestiform fibres) carcinogen.

# SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result 0,049 mg/l·

Other information

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result 0,160 mg/l·

Other information

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Algae

Compartment

 $\begin{array}{ll} \text{Duration} & 72 \text{ hours} \\ \text{Test} & \text{IC50} \\ \text{Result} & 0,022 \text{ mg/l} \cdot \end{array}$ 

Other information

739 Vådrumsmaling Page 10 of 18



Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Daphnia

Compartment

Duration 21 days
Test NOEC
Result 1,3 mg/l·

Other information

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Fish

Compartment

 $\begin{array}{ll} \text{Duration} & 21 \text{ days} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,01 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Daphnia

Compartment

Duration 21 days
Test EC50
Result 0,05 mg/l·

Other information

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Fish

Compartment

 $\begin{array}{ll} \text{Duration} & 35 \text{ d.} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,0084 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance 3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Species Algae

Compartment

Duration 72 hours
Test NOEC
Result 0,0046 mg/l·

Other information

Product/substance 1,2-benzisothiazol-3(2H)-on

Test method

Species Fish

Compartment

 $\begin{array}{ll} \text{Duration} & 96 \text{ hours} \\ \text{Test} & \text{LC50} \\ \text{Result} & 1,3 \text{ mg/l} \cdot \end{array}$ 

739 Vådrumsmaling Page 11 of 18



### Other information

Product/substance

1,2-benzisothiazol-3(2H)-on

Test method

Species

Daphnia

Compartment

Duration 96 hours Test EC50 1,5 mg/l · Result

Other information

Product/substance Test method

1,2-benzisothiazol-3(2H)-on

Species

Algae

Compartment

48 hours Duration Test EC50 0,055 mg/l · Result

Other information

Product/substance

1,2-benzisothiazol-3(2H)-on

Test method

**Species** Daphnia

Compartment

48 hours Duration Test EC50 2,94 mg/l · Result

Other information

Product/substance 1,2-benzisothiazol-3(2H)-on

Test method

**Species** Algae

Compartment

24 hours Duration Test EC50 0,11 mg/l · Result

Other information

Product/substance 1,2-benzisothiazol-3(2H)-on

Test method

Species Fish

Compartment

Duration No data available.

Test NOEC Result 0,21 mg/l ·

Other information

Product/substance 1,2-benzisothiazol-3(2H)-on

Test method

Daphnia Species

Compartment

Duration 21 days

739 Vådrumsmaling Page 12 of 18



 $\begin{array}{ccc} \text{Test} & \text{NOEC} \\ \text{Result} & \text{1,2 mg/l} \cdot \end{array}$ 

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result  $0,19 \text{ mg/l} \cdot$ 

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result 0,10 mg/l·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Algae

Compartment

Duration 72 hours
Test EC50
Result 0,048 mg/l·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Algae

Compartment

 $\begin{array}{ll} \text{Duration} & 96 \text{ hours} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,032 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Daphnia

Compartment

 $\begin{array}{ll} \text{Duration} & 21 \text{ days} \\ \text{Test} & \text{EC50} \\ \text{Result} & > 1 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Fish

739 Vådrumsmaling Page 13 of 18



Compartment

 $\begin{array}{ll} \text{Duration} & 96 \text{ hours} \\ \text{Test} & \text{LC50} \\ \text{Result} & 0,58 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Fish

Compartment

 $\begin{array}{ll} \text{Duration} & 34 \text{ d.} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,5 \text{ mg/l} \cdot \end{array}$ 

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species

Algae

Compartment

Duration 48 hours
Test NOEC

Result 0,00064 mg/l·

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Daphnia

Compartment

Duration 21 days
Test NOEC
Result 0,004 mg/l·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Fish

Compartment

Duration 28 days
Test NOEC
Result 0,098 mg/l·

Other information

Product/substance reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Species Algae

Compartment

 $\begin{array}{ll} \text{Duration} & 72 \text{ hours} \\ \text{Test} & \text{NOEC} \\ \text{Result} & 0,0012 \text{ mg/l} \cdot \end{array}$ 

Other information

# 12.2. Persistence and degradability

739 Vådrumsmaling Page 14 of 18



Product/substance

Result

Biodegradable Test method

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Yes

Product/substance

Biodegradable Test method Result

1,2-benzisothiazol-3(2H)-on

### 12.3. Bioaccumulative potential

Product/substance

3-iodo-2-propynyl butylcarbamate 3-iodoprop-2-yn-1-yl butylcarbamate

Test method

Potential

No

bioaccumulation

2.8100

LogPow **BCF** 

No data available

Other information

Product/substance

1,2-benzisothiazol-3(2H)-on

Test method

Potential

No

1,3000

bioaccumulation

LogPow

No data available BCF

Other information

Product/substance

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test method

Potential

No

bioaccumulation

0.4000 LogPow **BCF** 3,6

Other information

# 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. Endocrine disrupting properties

No special

# 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 7 - Carcinogenic

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.



### EWC code

08 01 12 Waste paint and varnish other than those mentioned in 08 01 11

# Specific labelling

Not applicable

# Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

# 14.6. Special precautions for user

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Restrictions for application

No special

# Demands for specific education

No specific requirements

### SEVESO - Categories / dangerous substances

Not applicable

# Additional information

Code number (1993): 00-1.

### Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Executive Order no. 1369 of 25 November 2015 on the marketing and labeling of volatile organic compounds in certain paints and varnishes as well as products for car repair painting.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

# SECTION 16: Other information

# Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

<sup>\*\*</sup> Environmental hazards



H302, Harmful if swallowed.

H310, Fatal in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H330, Fatal if inhaled.

H331, Toxic if inhaled.

H351, Suspected of causing cancer.

H372, Causes damage to organs through prolonged or repeated exposure.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

Not applicable

The safety data sheet is validated by

XXX





### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en